

L Number	Hits	Search Text	DB	Time stamp
-	6182	(terminal or apparatus or device or server or gateway or fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:25
-	1160	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:03
-	363	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:33
-	155	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:13
-	68	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 10:11
-	68	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:44

-	68	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility or (status near4 availab\$5)) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:36
-	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:48
-	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) same (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:52
-	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) same (status with availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:53
-	6	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) same (status with availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:53

-	20	(terminal or apparatus or device or server or gateway or fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (availability or available or access or accessible or accessibility) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and SPID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:27
-	191	(fax or facsimile) and (memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:40
-	778	(fax or facsimile) same (memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:40
-	889	(fax or facsimile) same (list\$3 or memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:49
-	416	((fax or facsimile) same (list\$3 or memory or table or storage or store or storing or stored or buffer or repository) same (service with (availability or available or access or accessible or accessibility or (status near4 availab\$5)))) and ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:42
-	15	(fax or facsimile) same (detect\$3 with availab\$5 with service)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:54
-	6	(fax or facsimile) same (detect\$3 with availab\$5 with (service or feature)) and (stor\$3 with availab\$5 with (service or feature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:49
-	39	(fax or facsimile) and (detect\$3 with availab\$5 with (service or feature)) and (stor\$3 with availab\$5 with (service or feature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:49
-	632	(fax or facsimile) and ((press\$3 or depress\$3) with (key or button) with (simultaneous\$2 or ("same time") or together or concurrent))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:21
-	130	((fax or facsimile) and ((press\$3 or depress\$3) with (key or button) with (simultaneous\$2 or ("same time") or together or concurrent))) and (email or e-mail or (electronic adj1 mail) or (internet adj1 mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 13:22

-	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlan<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:52
-	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:53
-	0	(fax or facsimile) and service and (memory or table or storage or store or storing or stored or buffer or repository) with (status near4 availab\$5) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3") and (service adj2 provider) and (((area adj1 network) or LAN or intranet or ISDN) same (PSTN or telephone or telephony or phone or POTS)) and @rlad<20011228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:53
-	1260	(service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:54
-	962	((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:16
-	961	((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:54
-	305	((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:18
-	235	((service adj provider) and (memory same (service near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with service with availab\$5 or offer\$3)) and ((indicat\$3 or display\$3 or list) with service with availab\$5 or offer\$3)) and (fax or facsimile) same (LAN or (area adj network) or telephone or POTS or PSTN or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:05

-	893	(fax or facsimile) and (service adj provider) and ((database or memory or listing) same (services! near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:20
-	809	((fax or facsimile) and (service adj provider) and ((database or memory or listing) same (services! near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or offer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:57
-	809	((fax or facsimile) and (service adj provider) and ((database or memory or listing) same (services! near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or offer\$3) and ((indicat\$3 or display\$3 or list) with services! with availab\$5 or offer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:18
-	794	((fax or facsimile) and (service adj provider) and ((database or memory or listing) same (services! near5 (availab\$5 or offer\$3)))) and ((detector or detect or detecting) with services! with availab\$5 or offer\$3) and ((indicat\$3 or display\$3 or list) with services! with availab\$5 or offer\$3) and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:18
-	619	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) with (services! near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:36
-	47	(database or memory or list\$3 or store or storing or storage) same ((detector or detect or detecting) with (services! near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:36
-	13	(fax or facsimile) and (database or memory or list\$3 or store or storing or storage) same ((detector or detect or detecting) with (services! near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:31
-	13	(fax or facsimile) and (database or memory or list\$3 or store or storing or storage) same ((detector or detect or detecting) with (services! near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:31
-	3	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) with (services! near5 (availab\$5 or offer\$3))) and (database or memory or list\$3 or store or storing or storage) same ((detector or detect or detecting) with (services! near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:40
-	178	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) with (services! near5 (availab\$5 or offer\$3))) and ((display\$3 or indicat\$3 or show\$3) with (services! near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:50
-	2	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) with (services! near5 (unavailab\$5 or "not offer\$3"))) and ((display\$3 or indicat\$3 or show\$3) with (services! near5 (availab\$5 or offer\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 13:50

-	49	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) same (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:14
-	81	(fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) and (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:14
-	32	((fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) and (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")) not ((fax or facsimile) and (service adj provider) and ((database or memory or list\$3 or store or storing or storage) same (services! near5 (availab\$5 or offer\$3))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:23
-	346	stor\$3 with (fax or facsimile) with services!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:26
-	59	(stor\$3 with (fax or facsimile) with services!) same availab\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:54
-	6906	(fax or facsimile) and ((access\$3 or denial or deny\$3 or denied) with services!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:47
-	1051	(fax or facsimile) same ((access\$3 or denial or deny\$3 or denied) with services!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:48
-	455	(fax or facsimile) same ((access\$3 or denial or deny\$3 or denied) with services!) and (memory or storing or storage) and (service adj provider)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:50
-	419	(fax or facsimile) same ((access\$3 or denial or deny\$3 or denied) with services!) and (memory or storing or storage) and (service adj provider) and network and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:52

-	824	(fax or facsimile or (communication adj (terminal or apparatus or device))) same ((access\$3 or denial or deny\$3 or denied) with services!) and (memory or storing or storage) and (service adj provider) and network and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:53
-	417	(fax or facsimile or (communication adj (terminal or apparatus or device))) with ((access\$3 or denial or deny\$3 or denied) with services!) and (memory or storing or storage) and (service adj provider) and network and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:53
-	56	(fax or facsimile or (communication adj (terminal or apparatus or device))) with ((access\$3 or denial or deny\$3 or denied) with services!) same (memory or storing or storage) and (service adj provider) and network and (LAN or (area adj network) or telephone or POTS or PSTN or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:00
-	2314	services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:05
-	4379601	database or memory or table or listing or list or listed or store or storing or storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 07:59
-	336	(services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")) with (database or memory or table or listing or list or listed or store or storing or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:00
-	345491	(fax or facsimile or (communication adj (terminal or apparatus or device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:01
-	5	((fax or facsimile or (communication adj (terminal or apparatus or device)))) same ((services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or down or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")) with (database or memory or table or listing or list or listed or store or storing or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:01
-	309	services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:43
-	40	(services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")) with (database or memory or table or listing or list or listed or store or storing or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:05

-	14	((services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")) with (database or memory or table or listing or list or listed or store or storing or storage)) and ((fax or facsimile or (communication adj (terminal or apparatus or device))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:43
-	14	(communication adj services!) with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 08:59
-	143	("5675628" "4595921" "4769768" "5245656" "5473682" "5790553" "5857072" "6304576" "6606460" "5951694" "5917624" "5509010" "5864757" "6003019" "6012050" "6023498" "6124799" "6230160" "5406401" "5742745" "5806071" "5907674" "5949772" "5983096" "6058435" "6085976" "6199066" "4910791" "5243643" "5365516" "5435505" "5526403" "5638432" "5678010" "5734851" "5806045" "5826026" "5838251" "5905715" "5946630" "5950126" "5983092" "5995610" "6009096" "6038609" "6044368" "6047324" "6047061" "6070001" "6101387" "6108519" "6122510" "6160817" "6169743" "6170005" "6178453" "6216156" "6223042" "6216156" "6223042" "6230271" "4450481" "4518961" "4527285" "4549075" "4768014" "4800523" "4815030" "4819226" "4829466" "4833671" "4833673" "4853955" "4855999" "4866770").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:12
-	42	("5675628" "4595921" "4769768" "5245656" "5473682" "5790553" "5857072" "6304576" "6606460" "5951694" "5917624" "5509010" "5864757" "6003019" "6012050" "6023498" "6124799" "6230160" "5406401" "5742745" "5806071" "5907674" "5949772" "5983096" "6058435" "6085976" "6199066" "4910791" "5243643" "5365516" "5435505" "5526403" "5638432" "5678010" "5734851" "5806045" "5826026" "5838251" "5905715" "5946630" "5950126" "5983092" "5995610" "6009096" "6038609" "6044368" "6047324" "6047061" "6070001" "6101387" "6108519" "6122510" "6160817" "6169743" "6170005" "6178453" "6216156" "6223042" "6216156" "6223042" "6230271" "4450481" "4518961" "4527285" "4549075" "4768014" "4800523" "4815030" "4819226" "4829466" "4833671" "4833673" "4853955" "4855999" "4866770").pn. and (fax or facsimile or (communication adj (terminal or apparatus or device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:00
-	72	(database or memory or table or listing or list or listed or store or storing or storage) same (services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:07

-	20	(database or memory or table or listing or list or listed or store or storing or storage) same (services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available")) and ((fax or facsimile or (communication adj (terminal or apparatus or device))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:07
-	0	("5675628" "4595921" "4769768" "5245656" "5473682" "5790553" "5857072" "6304576" "6606460" "5951694" "5917624" "5509010" "5864757" "6003019" "6012050" "6023498" "6124799" "6230160" "5406401" "5742745" "5806071" "5907674" "5949772" "5983096" "6058435" "6085976" "6199066" "4910791" "5243643" "5365516" "5435505" "5526403" "5638432" "5678010" "5734851" "5806045" "5826026" "5838251" "5905715" "5946630" "5950126" "5983092" "5995610" "6009096" "6038609" "6044368" "6047324" "6047061" "6070001" "6101387" "6108519" "6122510" "6160817" "6169743" "6170005" "6178453" "6216156" "6223042" "6216156" "6223042" "6230271" "4450481" "4518961" "4527285" "4549075" "4768014" "4800523" "4815030" "4819226" "4829466" "4833671" "4833673" "4853955" "4855999" "4866770").pn. and (services! with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:13
-	0	("5675628" "4595921" "4769768" "5245656" "5473682" "5790553" "5857072" "6304576" "6606460" "5951694" "5917624" "5509010" "5864757" "6003019" "6012050" "6023498" "6124799" "6230160" "5406401" "5742745" "5806071" "5907674" "5949772" "5983096" "6058435" "6085976" "6199066" "4910791" "5243643" "5365516" "5435505" "5526403" "5638432" "5678010" "5734851" "5806045" "5826026" "5838251" "5905715" "5946630" "5950126" "5983092" "5995610" "6009096" "6038609" "6044368" "6047324" "6047061" "6070001" "6101387" "6108519" "6122510" "6160817" "6169743" "6170005" "6178453" "6216156" "6223042" "6216156" "6223042" "6230271" "4450481" "4518961" "4527285" "4549075" "4768014" "4800523" "4815030" "4819226" "4829466" "4833671" "4833673" "4853955" "4855999" "4866770").pn. and (services with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:13

-	0	("5675628" "4595921" "4769768" "5245656" "5473682" "5790553" "5857072" "6304576" "6606460" "5951694" "5917624" "5509010" "5864757" "6003019" "6012050" "6023498" "6124799" "6230160" "5406401" "5742745" "5806071" "5907674" "5949772" "5983096" "6058435" "6085976" "6199066" "4910791" "5243643" "5365516" "5435505" "5526403" "5638432" "5678010" "5734851" "5806045" "5826026" "5838251" "5905715" "5946630" "5950126" "5983092" "5995610" "6009096" "6038609" "6044368" "6047324" "6047061" "6070001" "6101387" "6108519" "6122510" "6160817" "6169743" "6170005" "6178453" "6216156" "6223042" "6216156" "6223042" "6230271" "4450481" "4518961" "4527285" "4549075" "4768014" "4800523" "4815030" "4819226" "4829466" "4833671" "4833673" "4853955" "4855999" "4866770").pn. and (service with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 09:13
-	5	("5675628" "4595921" "4769768" "5245656" "5473682" "5790553" "5857072" "6304576" "6606460" "5951694" "5917624" "5509010" "5864757" "6003019" "6012050" "6023498" "6124799" "6230160" "5406401" "5742745" "5806071" "5907674" "5949772" "5983096" "6058435" "6085976" "6199066" "4910791" "5243643" "5365516" "5435505" "5526403" "5638432" "5678010" "5734851" "5806045" "5826026" "5838251" "5905715" "5946630" "5950126" "5983092" "5995610" "6009096" "6038609" "6044368" "6047324" "6047061" "6070001" "6101387" "6108519" "6122510" "6160817" "6169743" "6170005" "6178453" "6216156" "6223042" "6216156" "6223042" "6230271" "4450481" "4518961" "4527285" "4549075" "4768014" "4800523" "4815030" "4819226" "4829466" "4833671" "4833673" "4853955" "4855999" "4866770").pn. and ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:23
-	14	communication with service with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available") with (database or memory or table or listing or list or listed or store or storing or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:29
-	2	communication with service with ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available") with (database or memory or table or listing or list or listed or store or storing or storage) and (facsimile or fax)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:00
-	420	(stor\$3 with (fax or facsimile) with service) with (information or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 10:55

-	93	(stor\$3 with (fax or facsimile) with (service adj3 (information or status)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:00
-	0	(stor\$3 with (fax or facsimile) with (service adj3 (information or status))) same ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:01
-	1	(stor\$3 with (fax or facsimile) with (service adj3 (information or status))) and ("not near2 us?able" or "not near2 us?able" or "isn't adj1 us?able" or blocked or inoperable or "not near2 operable" or "out of service" or "not in service" or "not near2 function\$3" or "not available")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:04
-	1	(stor\$3 with (fax or facsimile) with (service adj3 (information or status))) same availability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:02
-	3	(stor\$3 adj3 (fax or facsimile) adj3 (service adj3 (information or status)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:05
-	277	(stor\$3 adj3 (service adj3 (information or status or availability))) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:06
-	28	(stor\$3 adj3 (service adj3 (information or status or availability))) same (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:19
-	8	((store or storing) adj3 (availability or accessibility or availableness) with information) same service) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 16:45
-	1	((store or storing) adj3 (availability or accessibility or availableness online) with information) same service) and (fax or facsimile) and offline	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:29
-	1	((store or storing) adj3 (availability or accessibility or availableness or online) with information) same service) and (fax or facsimile) and offline	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 11:29
-	12	((store or storing) adj3 (help or guidance) with information) same service) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 16:46
-	12	((store or storing) adj3 (help or guidance) with information) same service) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 16:52
-	2	5142550.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 17:10

-	125	Pickett.in. and (audio or voice or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 17:11
-	68	Pickett.in. and (audio or voice or display) and information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 17:11
-	35	Pickett.in. and (audio or voice or display) and information and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 17:13
-	86	((display or show) with (help or guidance) with information) same (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 01:55
-	2	6335966.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 01:59
-	2	6493105.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 01:58
-	4	6335966.pn. or 6493105.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 22:32
-	6	("6335966" "6493105" "5438433" "5917615" "5926525" "6317592" "6230189" "5809025" "6466330" "5873077" "5539530" "6208426" "5339156" "6731410" "5708655" "5987100" "5724406" "5812278" "5864670" "6028982" "6172763" "6201797" "6266160" "6348970" "6389121" "6470379" "6512593" "5844691" "5400335" "6243444" "6330070" "6683698" "6055301" "5253285" "5790790" "6144363" "6205332" "5917895" "6396848" "6417930" "6112078" "6233616" "5875302" "5991291" "6449283" "6498837" "5210741" "6219150" "6219150" "4855995" "5181238" "5467390" "5497373" "5513126" "5572583" "5689642" "5692039" "5712903" "5717493" "5812639" "5918177" "6134432" "6178331" "6219547" "6219547" "6266413" "6445794" "6469998" "6553220" "5892587" "6137597" "5517324" "6009082" "6199164" "5521719").pn. and (relay same password) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 02:16

-	2	("6335966" "6493105" "5438433" "5917615" "5926525" "6317592" "6230189" "5809025" "6466330" "5873077" "5539530" "6208426" "5339156" "6731410" "5708655" "5987100" "5724406" "5812278" "5864670" "6028982" "6172763" "6201797" "6266160" "6348970" "6389121" "6470379" "6512593" "5844691" "5400335" "6243444" "6330070" "6683698" "6055301" "5253285" "5790790" "6144363" "6205332" "5917895" "6396848" "6417930" "6112078" "6233616" "5875302" "5991291" "6449283" "6498837" "5210741" "6219150" "6219150" "4855995" "5181238" "5467390" "5497373" "5513126" "5572583" "5689642" "5692039" "5712903" "5717493" "5812639" "5918177" "6134432" "6178331" "6219547" "6219547" "6266413" "6445794" "6469998" "6553220" "5892587" "6137597" "5517324" "6009082" "6199164" "5521719").pn. and (relay same password same (select\$3 or chose\$2 or choos\$3)) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 02:21
-	2	("6335966" "6493105" "5438433" "5917615" "5926525" "6317592" "6230189" "5809025" "6466330" "5873077" "5539530" "6208426" "5339156" "6731410" "5708655" "5987100" "5724406" "5812278" "5864670" "6028982" "6172763" "6201797" "6266160" "6348970" "6389121" "6470379" "6512593" "5844691" "5400335" "6243444" "6330070" "6683698" "6055301" "5253285" "5790790" "6144363" "6205332" "5917895" "6396848" "6417930" "6112078" "6233616" "5875302" "5991291" "6449283" "6498837" "5210741" "6219150" "6219150" "4855995" "5181238" "5467390" "5497373" "5513126" "5572583" "5689642" "5692039" "5712903" "5717493" "5812639" "5918177" "6134432" "6178331" "6219547" "6219547" "6266413" "6445794" "6469998" "6553220" "5892587" "6137597" "5517324" "6009082" "6199164" "5521719").pn. and (relay same password same (select\$3 or chose\$2 or choos\$3)) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 03:46
-	0	and (channel or path or line) indicator with (read or check) with (memory or table) with service with availability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 22:23
-	1	indicat\$3 with (read or check) with (memory or table) with service with availability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 03:50
-	3	indicat\$3 with (read or check) with (memory or table or database) with service with availability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/10 03:51
-	2	(storage or storing or store) with (service adj information) with (including or containing) with availability adj3 (service or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 19:38
-	11	(storage or storing or store) with (service adj information) with (including or containing) with (available or availability) adj3 (service or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 19:40

-	10	(storage or storing or store) with (service adj information) with (including or containing) with (available or availability) with services!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 22:01
-	10	(storage or storing or store) with ((service or function) adj information) with (including or containing) with (available or availability) with services!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 22:02
-	75	(storage or storing or store) with ((service or function) with information) with (including or containing) with (available or availability) with services!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 22:02
-	24	((storage or storing or store) with ((service or function) with information) with (including or containing) with (available or availability) with services!) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 22:03
-	15	((store or storing) adj3 (help or guidance or troubleshoot\$3) with information) same service) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 22:27
-	62	((store or storing) with (help or guidance or troubleshoot\$3) with information) same service) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 23:02
-	105	((store or storing or stored or memory) with (help or guidance or troubleshoot\$3) with information) same service) and (fax or facsimile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 23:02